

OPPLE LED

FLICKER-FREE LIGHTS
HAPPY EYES

Celebrating the
brighter side of life



OPPLE.COM

Price list w.e.f. March 2018



AT OPPLE, WE DON'T JUST BUILD BETTER LIGHTING, WE INVENT BETTER LIGHT CRAFTED WITH WORLD-CLASS TECHNOLOGY, EXCLUSIVELY FOR YOUR "WELLNESS". CHOOSE OPPLE LED LIGHTS TO BRIGHTEN UP YOUR WORLD.

NO FLICKER!
NO FIKAR!

Most LED lights available in the market today produce a flicker which can strain your eyes, cause migraine and induce headache. Presenting OPPLE flicker-free LEDs, which care for your health by minimizing or eliminating these symptoms and providing a healthier colour spectrum for your eyes.

Opple LED, your wellness mantra



FLICKER
FREE



ENERGY
SAVING



ENVIRONMENT
FRIENDLY



LONG
LASTING



LOW HEAT
EMISSION



UV FREE



ANTI
GLARE



MERCURY
FREE



AWARDS
&
ACCOLADES

- 2017 Annual Responsibility Brand Award
- 2017 Annual Brand Award-Influential Brand
- 2017 Annual China Lighting Industry - Industry Brand Leader
- 2017 Annual Performance Listed Company - GGII
- Nationwide Lighting Industry Quality Leading Brand -Nation Quality Test Institution
- National Quality Integrity Bench marking Enterprise- Nation Quality Test Institution
- 2016 Asia Famous Brand Certificate
- 2016 Asia Famous Brand Award
- Of week 2015 Best LED Innovation Design Award
- Of week 2015 The Most Valuable LED Enterprise Award
- 2015 Interni Smart Lighting Design Contribution Award
- 2015 Shanghai Lighting Technology and Application Trend Forum Excellent Partner

Opple Products are Certified for Quality & Performance by Leading International & National Bodies



smart LIGHT



Smart O

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140057226	7	RGB	LED HTL Shining Cute	8230	1

Features & Benefits

- 16 million colours • Bluetooth control • Smart mobile and APP control
- Wireless music player



Shining Moon

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140050863	30	4000	LED HPL460-Dim-Shining Moon	19995	1
140043569	100	Tunable	MD650-Shining Moon-Dim	34995	1

Features & Benefits

- Linear dimming from 10%-100% brightness, adjustable colour temperature
- Uniform light distribution • Control with remote or smart phone



Sensor, Tunable & Dimmable Bulb

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140054668	4	6500	LED P45-E27-4-Soundsensor Bulb	859	50
140053203	7	Tunable	LED-P-A60-E27-Tunable White-CT	649	40
140053204	9	Tunable	LED-P-A60-E27-Tunable White-CT	749	40
140044672	9.5	Dimmable	LED-E-A60-B22-Dimmable FR-CT	780	30
140051575	12	Dimmable	LED-Ecomax Dimmable Bulb-A70	1145	40

Features & Benefits

- Flicker free - Protects sensitive eyesight • Quick response - Automatically turn on and turns off • 3 different colours for different moods • Easy to control



Radar

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140044438	9	5700	MD240-D0.5*15	1550	5

Features & Benefits

- Flicker free - Protects sensitive eyesight • Infrared & light sensor

LIGHT SOURCE

 <p>LED Bulb P45, A60 & A70</p>	 <p>LED High Power Bulb (EcoMax)</p>	 <p>LED High Power Bulb (Performer)</p>	 <p>LED Filament Candle & Bulb Dimmable</p>	 <p>LED EcoMax Filament Bulb G95, G125</p>
 <p>LED Filament Bulb ST64</p>	 <p>LED H Tube</p>	 <p>LED T8 Utility Tube</p>	 <p>LED Performer Tube</p>	 <p>LED T8 Empty Batten</p>
 <p>LED T5 Tube</p>	 <p>LED T5 10000K Batten</p>	 <p>LED T5 EII Batten</p>	 <p>LED GX5.3 Utility</p>	 <p>LED GU10 Utility</p>
 <p>LED Strip</p>	 <p>LED OPPO Strip</p>	 <p>LED Double Line Strip</p>		



CELEBRATING THE BRIGHTER SIDE OF LIFE

LIGHT SOURCE



LED Bulb P45, A60 & A70



Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140054126	3	3000	LED Bulb-220-E14-P45	149	50
140054127	3	6500	LED Bulb-250-E14-P45	149	50
140054128	3	3000	LED Bulb-220-E27-P45	149	50
140054129	3	6500	LED Bulb-250-E27-P45	149	50
140054130	3	3000	LED Bulb-250-B22-P45	149	50
140054131	3	6500	LED Bulb-250-B22-P45	149	50
140054132	5	3000	LED-E1-P45-E14-CT	179	50
140054133	5	6500	LED-E1-P45-E14-CT	179	50
140054134	5	3000	LED-E1-P45-E27-CT	179	50
140054135	5	6500	LED-E1-P45-E27-CT	179	50
140054136	5	3000	LED-E1-P45-B22-CT	179	50
140054137	5	6500	LED-E1-P45-B22-CT	179	50
140053352	9	3000	LED-E1-A60-E27-CT	249	40
140053353	9	6500	LED-E1-A60-E27-CT	249	40
140053354	9	3000	LED-E1-A60-B22-CT	249	40
140053355	9	6500	LED-E1-A60-B22-CT	249	40
140053356	12	3000	LED-E1-A70-E27-CT	349	40
140053357	12	6500	LED-E1-A70-E27-CT	349	40
140053358	12	3000	LED-E1-A70-B22-CT	349	40
140053359	12	6500	LED-E1-A70-B22-CT	349	40
140053360	14	3000	LED-E1-A70-E27-CT	449	40
140053361	14	6500	LED-E1-A70-E27-CT	449	40
140053362	14	3000	LED-E1-A70-B22-CT	449	40
140053363	14	6500	LED-E1-A70-B22-CT	449	40

Features & Benefits

- Flicker free - Protects sensitive eyesight • Long lifespan, install and forget

LED High Power Bulb (EcoMax)



Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140062180	20	3000	LED-E-HPB-E27-20W-3000K-CT	599	20
140062181	20	6500	LED-E-HPB-E27-20W-6500K-CT	599	20
140062182	20	6500	LED-E-HPB-B22-20W-6500K-CT	599	20
140062208	30	3000	LED-E-HPB-E27-30W-3000K-CT	799	20
140062184	30	6500	LED-E-HPB-B22-30W-6500K-CT	799	20
140062209	40	3000	LED-E-HPB-E27-40W-3000K-CT	999	10
140062186	40	6500	LED-E-HPB-B22-40W-6500K-CT	999	10
140062188	50	6500	LED-E-HPB-B22-50W-6500K-CT	1299	10

Features & Benefits

- Easy replacement to 45-105 W CFL • Higher Lumen Output & Energy Efficient Product
- 2.5 times longer life than CFL • Available in 20/30/40/50 watts • Upto 50% energy saving compared to CFL



LED Filament Bulb ST64

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140059866	4	2200	LED-E-ST64-E27-4W-FILA-2200K-CT-GOLDEN	499	50
140059867	6	2200	LED-E-ST64-E27-6W-FILA-2200K-CT-GOLDEN	525	50
140059868	8	2200	LED-E-ST64-E27-8W-FILA-2200K-CT-GOLDEN	555	50

Features & Benefits

- Flicker free - Protects sensitive eyesight • Beautiful design

LED High Power Bulb (Performer)



Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140055245	28	5700	*LED-P-HPB-E27-28W-5700K-140D-CT	2575	6
140055247	40	5700	*LED-P-HPB-E27-40W-5700K-140D-CT	3575	6
140055249	70	5700	LED-P-HPB-E40-70W-5700K-140D-CT	4450	6
140055251	90	5700	LED-P-HPB-E40-90W-5700K-140D-CT	5750	6
140059053	105	5700	LED-P-HPB-E40-105W-5700K-140D-CT	6750	6
140059052	120	5700	LED-P-HPB-E40-120W-5700K-140D-CT	7950	6
140059182			P HPB Accessory Surface Mounted E40		12
140059184			P HPB Accessory Hook Mounted E40		12

Note: *E40 Converter Inside

Features & Benefits

- High lumen output up to 120lm/W • Long lifespan, install and forget • Robust design and heat sink used for better thermal management



LED Filament Candle & Bulb, Dimmable

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140053964	2	2700	LED-E-C35-E14-FILA-CT(Candle)	295	50
140059852	4	2700	LED-E-C35-E14-FILA-CT(Candle)	375	50
140059853	2	2700	LED-E-F35-E14-FILA-CT(Candle)	295	50
140059854	4	2700	LED-E-F35-E14-FILA-CT(Candle)	375	50
140059857	4	2700	LED-E-A60-E27-FILA-CT(Bulb)	375	50
140053969	6	2700	LED-E-A60-E27-FILA-CT(Bulb)	500	50
140053970	8	2700	LED-E-A60-E27-FILA-CT(Bulb)	600	50
140056328	4.5	2700	LED-E-A60-E27-FILA-Dim-CT	750	50
140056329	7	2700	LED-E-A60-E27-FILA-Dim-CT	850	50

Features & Benefits

- Flicker free - Protects sensitive eyesight • Beautiful design & produces sparkling effect


LED EcoMax Filament Bulb G95, G125



Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140059869	6	2700	LED-E-G95-E27-6W-FILA-2700K-CT-FR	450	20
140059870	6	2700	LED-E-G95-E27-6W-FILA-2700K-CT-FR	450	20
140059871	8	2700	LED-E-G125-E27-8W-FILA-2700K-CT-FR	600	20
140059872	8	2700	LED-E-G125-E27-8W-FILA-2700K-CT-FR	600	20

Features & Benefits

- Same lighting performance as incandescent • Above 120lm/W efficiency
- Could replace incandescent lamps directly • Up to 85% energy savings compared to incandescent bulb, 40% compared to CFL bulb



LED H Tube

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140058940	18	5700	LED-U-H-module-18W-5700K-India	800	30

Features & Benefits

- Long lifespan, install and forget • 2G11 cap base • High quality polycarbonate cover
- Energy saving with 100 lm/w



LED T8 Utility Tube

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140055238	9	3000	LED-U1-T8-600mm-9W-3000K-Glass-CT	480	20
140055239	9	4000	LED-U1-T8-600mm-9W-4000K-Glass-CT	480	20
140055240	9	6500	LED-U1-T8-600mm-9W-6500K-Glass-CT	480	20
140055241	18	3000	LED-U1-T8-1200mm-18W-3000K-Glass-CT	575	20
140055242	18	4000	LED-U1-T8-1200mm-18W-4000K-Glass-CT	575	20
140055243	18	6500	LED-U1-T8-1200mm-18W-6500K-Glass-CT	575	20

Features & Benefits

- Flicker free - Protects sensitive eyesight • Robust design



LED Performer Tube

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140056784	9	3000	LED-P1-T8-600mm-9W-3000K-Glass-ENC	845	25
140056785	9	4000	LED-P1-T8-600mm-9W-4000K-Glass-ENC	845	25
140056786	9	6500	LED-P1-T8-600mm-9W-6500K-Glass-ENC	845	25
140056787	18	3000	LED-P1-T8-1200mm-18W-3000K-Glass-ENC	1015	25
140056788	18	4000	LED-P1-T8-1200mm-18W-4000K-Glass-ENC	1015	25
140056789	18	6500	LED-P1-T8-1200mm-18W-6500K-Glass-ENC	1015	25

Features & Benefits

- Flicker free - Protects sensitive eyesight • High brightness - Up to 120 lm/W
- Long lifespan, install and forget • Product for Project Application



LED T8 Empty Batten

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140055131	-	-	LED-U-T8 EMPTY Batten-1200mm-TT-CT	355	-
140055133	-	-	LED-U-T8 EMPTY Batten-1200mm-TTR-CT	455	20



LED T5 Tube

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140052551	8	5700	LED-220-T5-8-01-Bright Star-857	-	-
140052549	17	5700	LED-220-T5-17-01-Leung-Sing-857	-	-

Features & Benefits

- Flicker free - Protects sensitive eyesight • Easy to install



LED T5 10000K Batten

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140060090	15	10000	LED-E-T5-Batten-1M-ENC-KA	560	30
140048549	-	-	Leader Cable	35	-
140048550	-	-	Jumper Cable(2 pin to 2 pin)	45	-

Features & Benefits

- Plastic unibody design with integrated connector • Energy saving, 50% as compared to conventional T5 Batten



LED T5 EII Batten

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140060481	5	3000	LED-E2-T5 batten-0.3m-5W-3000K-CT	395	25
140060900	5	4000	LED-E2-T5 batten-0.3m-5W-4000K-CT	395	25
140060482	5	6500	LED-E2-T5 batten-0.3m-5W-6500K-CT	395	25
140060483	11	3000	LED-E2-T5 batten-0.6m-11W-3000K-CT	495	25
140060899	11	4000	LED-E2-T5 batten-0.6m-11W-4000K-CT	495	25
140060484	11	6500	LED-E2-T5 batten-0.6m-11W-6500K-CT	495	25
140060485	20	3000	LED-E2-T5 batten-1.2m-20W-3000K-CT	649	25
140060898	20	4000	LED-E2-T5 batten-1.2m-20W-4000K-CT	649	25
140060486	20	6500	LED-E2-T5 batten-1.2m-20W-6500K-CT	649	25

Features

- Unibody housing design • Different size options for different customer needs (1/2/4 feet.) • In 3 Colour temperatures 3000K, 4000K and 6500K • High quality engineering plastic diffuser

CELEBRATING THE BRIGHTER SIDE OF LIFE

LIGHT SOURCE



NEW

LED Double Line Strip

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140060562	8w/mtr	3000	LED-Strip-2835-HV-8W/M-50M-DbI-3000K	14000	-
140060563	8w/mtr	4000	LED-Strip-2835-HV-8W/M-50M-DbI-4000K	14000	-
140060564	8w/mtr	6500	LED-Strip-2835-HV-8W/M-50M-DbI-6500K	14000	-
140060565	8w/mtr	Blue	LED-Strip-2835-HV-8W/M-50M-BlueDbI	14000	-
140060566	8w/mtr	Red	LED-Strip-2835-HV-8W/M-50M-RedDbI	14000	-
140057548	-	-	LED-Strip-2835-DbI-Accessory package	-	-

Features & Benefits

- High lumen output and multiple colour options • High quality, high transparency engineering plastic • Thick copper inner wire • Long lifespan, install and forget
- IP 65 - Can be used for outdoor location



LED Strip

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140056112	8	3000	LED-Utility-Strip-5050-3000K	17740	1
140056113	8	4000	LED-Utility-Strip-5050-4000K	17740	1
140056114	8	6500	LED-Utility-Strip-5050-6500K	17740	1
140051034	-	-	LED-U-Strip-5730 Accessories Bag	170	1
140051036	-	-	LED-U-Strip-5730-100-Fixing	1	3000
140049015	-	-	LED-Strip-5050-Fixing	1	3500
140049016	-	-	LED-Strip-5050-END	1	2000
140049017	-	-	LED-Strip-5050-Connection Pin	4	7500
140049018	-	-	LED-Strip-5050-Middle Connector	20	600

Features & Benefits

- Good reliability • Better flexibility • Easy and safe installation • Long lifespan, install and forget • IP 65 - Can be used for outdoor location



NEW

LED GX5.3 Utility

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140065094	6	2700	LED-E2-GX5.3-6W-36D-2700K-CT	325	100
140065095	6	6500	LED-E2-GX5.3-6W-36D-6500K-CT	325	100
140065096	8	2700	LED-E2-GX5.3-8W-36D-2700K-CT	500	100
140065097	8	6500	LED-E2-GX5.3-8W-36D-6500K-CT	500	100

Features & Benefits

- Single optical lens technology • Clear beam angle • Replacement for MR16



NEW

LED GU10 Utility

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140065088	6	2700	LED-E2-GU10-6W-36D-2700K-CT	325	100
140065089	6	6500	LED-E2-GU10-6W-36D-6500K-CT	325	100
140065090	8	2700	LED-E2-GU10-8W-36D-2700K-CT	500	100
140065091	8	6500	LED-E2-GU10-8W-36D-6500K-CT	500	100

Features & Benefits

- Single optical lens technology • Clear beam angle • Replacement for MR16












LED Oppo Strip

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140062357	9	13000	LED-24V-Strip-1091mm-9W-13000K-OPPO	125	-
140062022	-	-	LED-24V-Strip-7-Connector-Board-OPPO-ETO	120	-
140062358	-	-	LED-24V-Strip-7-Connector-Board-OPPO	120	-
140041337	-	-	LED-Driver-24V-250W-IP20	2800	-
140061849	-	-	LED-Driver-24V-240W-IP65	2800	-



CONSUMER

 <p>LED Twinkle Star</p>	 <p>LED Diamond IP44</p>	 <p>LED Ceiling Light</p>	 <p>LED Tunable Ceiling</p>	 <p>LED Surface Mounted 2' x 2'</p>
 <p>LED Cloud</p>	 <p>LED Snow</p>	 <p>LED Table Lamp Toronto, studio & Pipe Series</p>	 <p>LED Table Lamp Windy, Reader</p>	 <p>LED Mirror Light</p>
 <p>LED Night Lamp</p>	 <p>LED Emergency Lighting</p>			

CELEBRATING THE BRIGHTER SIDE OF LIFE

CONSUMER



LED Twinkle Star

Product Code	Power (W)	CCT (K)	Colour	Product Description	MRP (INR)
140056331/ 140060291	33	5700	White (yellow edge)	LED Mx518 33W Dim III Twinkle Star	10950

Features & Benefits

- Flicker free - Protects sensitive eyesight
- Magic control - 6 colour decorative sensor dimmer
- Unique design - Shape & light effect



LED Diamond IP44

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140067245	6	3000	LED-HC180-D0.2*30-Diamond-3000K-R-F	750	20
140067246	6	5700	LED-HC180-D0.2*30-Diamond-5700K-R-F	750	20
140067253	12	3000	LED-HC230-D0.2*60-Diamond-3000K-R-F	1750	20
140067254	12	5700	LED-HC230-D0.2*60-Diamond-5700K-R-F	1750	20
140067249	9	3000	LED-HC1818-D0.2*42-Diamond-3000K-S-F	1350	20
140067250	9	5700	LED-HC1818-D0.2*42-Diamond-5700K-S-F	1350	20

Features & Benefits

- Flicker free - Protect sensitive eyesight
- Modular designed LED chip board
- IDM Technology - Insects proof, Dust proof, Moisture proof



CELEBRATING THE BRIGHTER SIDE OF LIFE

CONSUMER



LED Ceiling Light

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140054619	9.6	2700	HC260 Parrot	1380	10
140047014	9.6	5700	HC260 Parrot	1380	10
140050674	16	2700	HC350 White	1600	5
140051087	16	5700	HC350 Star-Attic	2300	7
140051098	19	4000	HC420 Blossom	2575	6

Features & Benefits

- Replaceable LED module, optimised lens design • High-quality acrylic cover (PMMA), 99% light transparency • 20,000 hour lifespan • Flicker free - Protects sensitive eyesight
- Uniform light output: Driver on board, PMMA lens



LED Tunable Ceiling

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140050872	22	3000/4500	MX420- D0.5*48ST-14-Bear	4200	6
140051928	22	3000/4500	HC480- Star Diamond	4560	5

Features & Benefits

- Replaceable LED module, optimised lens design • High-quality acrylic cover (PMMA), 99% light transparency • 20,000 hour lifespan • Flicker free - Protects sensitive eyesight • Uniform light output: Driver on board, PMMA lens • Flicker free - Protects sensitive eyesight



LED Surface Mounted 2' x 2'

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140056015	35	5700	2'x2' surface mounted MX5050-D0.2x180-5700K	4615	4

Features & Benefits

- Unique design • Flicker free - Protects sensitive eyesight



LED Cloud

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140048617	80	5700*3000	LED HC6565 RG-Cloud	17995	1



LED Snow

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140049729	36	4000	MD6926-(Snow 3 head)	16000	1

Features & Benefits

- Inspired by the shape of snow with transparent LGD design, is in line with the modern aesthetic • Modular shape lends itself to the creation and realisation of customised compositions, supplied as special project





Toronto White



Toronto Black



Studio



Pipe

LED Table Lamp Toronto, Studio & Pipe Series

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140050049	8.5	4000	LED HTL Dim Toronto White ES	4982	6
140050050	8.5	4000	LED HTL Dim Toronto Black ES	4982	6
140058614	6	4000	LED MT White Studio	1955	6
140058613	3	4000	LED MT Dim White Pipe	1455	20

Features & Benefits

- Smart touch controls for reading/surfing modes and brightness adjustment
- Dimmable from 10-100% brightness • Flicker free - Protects sensitive eyesight
- Long lifespan, install and forget • Robust design



LED Table Lamp Windy, Reader

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140064365	3	4000	LED MT 3W 4000K Windy White	900	8
140064367	3	4000	LED MT 3W 4001K Windy Pink	900	8
140064366	3	4000	LED MT 3W 4002K Windy Blue	900	8
140050447	5	4000	LED MT 5W 4000K Reader	1500	12

Features & Benefits

- Beautiful design • Portable • Chargeable • Flicker free - Protects sensitive eyesight



LED Mirror Lights

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140053329	8	3000	LED-HML455A-D0.2*40-Knight	3512	12

Benefits

- True colour - CRI > 80, your face is shown under good light with colours appearing appealing and natural • Fix or rotate: Stylish design and 2 choices available - fixed and rotatable to meet your different needs



LED Night Lamp

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140060293	0.3	3000	LED NL Lotus -W	500	50

Features & Benefits

- Sound & light sensor • Easy to mount • Good design & look



LED Emergency Lighting

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140058542	3	6000	PB-8040IN 1.6h	499	40

Features & Benefits

- Long lifespan, install and forget • Chargeable



PROFESSIONAL

				
LED Downlight HM	LED Slim Downlight EcoMax III	LED Downlight HS		
			 NEW	
LED Downlight Utility	LED Spot HP	LED Spot HJ	LED Spot HS	LED Spot RF
		 NEW		
LED Grid HJ	LED Track Performer	LED Track Utility	LED Track Utility (Surface Mounted)	LED Panel Slim
 NEW				
LED Backlit Panel 2x2 EcoMax	LED Panel Zenith	LED High Flux Batten	LED Highbay	LED Flood Light
	 NEW	 NEW	 NEW	 NEW
LED Flood Light EII	LED Flood Light EcoMax H	LED Bulkhead (New) EcoMax	LED Street Light EQ Series	LED Street Light PQ Series



LED Down Light HM

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140048184	5	3000	LEDDownlightRc-HM R82-5W-3000-WH-GP	1385	18
140048185	5	4000	LEDDownlightRc-HM R82-5W-4000-WH-GP	1385	18
140048186	5	5700	LEDDownlightRc-HM R82-5W-5700-WH-GP	1385	18
140048187	6	3000	LEDDownlightRc-HM R100-6W-3000-WH-GP	1485	18
140047841	6	4000	LEDDownlightRc-HM R100-6W-4000-WH-GP	1485	18
140048188	6	5700	LEDDownlightRc-HM R100-6W-5700-WH-GP	1485	18
140048189	9	3000	LEDDownlightRc-HM R120-9W-3000-WH-GP	1805	6
140047842	9	4000	LEDDownlightRc-HM R120-9W-4000-WH-GP	1805	6
140048190	9	5700	LEDDownlightRc-HM R120-9W-5700-WH-GP	1805	6
140049938	9	3000	LEDDownlightRc-HMP R120-9W-3000-WH-GP	2345	6
140049939	9	4000	LEDDownlightRc-HMP R120-9W-4000-WH-GP	2345	6
140049940	9	5700	LEDDownlightRc-HMP R120-9W-5700-WH-GP	2345	6
140048191	14	3000	LEDDownlightRc-HM R175-14W-3000-WH-GP	2605	6
140047843	14	4000	LEDDownlightRc-HM R175-14W-4000-WH-GP	2605	6
140048192	14	5700	LEDDownlightRc-HM R175-14W-5700-WH-GP	2605	6
140049941	14	3000	LEDDownlightRc-HMP R175-14W-3000-WH-GP	2955	8
140049942	14	4000	LEDDownlightRc-HMP R175-14W-4000-WH-GP	2955	8
140049943	14	5700	LEDDownlightRc-HMP R175-14W-5700-WH-GP	2955	8
140048193	29	3000	LEDDownlightRc-HM R210-29W-3000-WH-GP	4095	6
140047844	29	4000	LEDDownlightRc-HM R210-29W-4000-WH-GP	4095	6
140048194	29	5700	LEDDownlightRc-HM R210-29W-5700-WH-GP	4095	6
140048195	42	3000	LEDDownlightRc-HM R210-42W-3000-WH-GP	4500	6
140048196	42	4000	LEDDownlightRc-HM R210-42W-4000-WH-GP	4500	6
140048197	42	5700	LEDDownlightRc-HM R210-42W-5700-WH-GP	4500	6

Features & benefits

- High lumen efficacy, 100 lm/W • Optimal heat management • Broad range of sizes - 2.5", 3", 4", 6" or 8" • IP44 protection rating • Flicker free - Protects sensitive eyesight



LED Down Light HS

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140053684	4.5	3000	LEDDownlightRc-HS R70-4.5W-3000-WH-GP	399	45
140053685	4.5	4000	LEDDownlightRc-HS R70-4.5W-4000-WH-GP	399	45
140053686	4.5	5700	LEDDownlightRc-HS R70-4.5W-5700-WH-GP	399	45

Features & Benefits

- Clean beam • Easy to use • Flicker free - Protects sensitive eyesight



LED Down Light Utility

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140059662	6	3000	LEDDownlightRc-Utl-R100-6W-3000-WH-NV	395	16
140059663	6	4000	LEDDownlightRc-Utl-R100-6W-4000-WH-NV	395	16
140059664	6	6000	LEDDownlightRc-Utl-R100-6W-6000-WH-NV	395	16

Features & Benefits

- Flicker free - Protect sensitive eyesight, Easy installation, Energy saving • Light housing and driver on board design ensure 1 step plug-and-play • Large diffusing area • Up to 60% energy savings from CFL downlight • Cut out size of 100mm



LED Slim Down Light Ecomax III

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140062536	6	3000	LEDDownlightRc-ESIII R100-6W-3000-WH-NV	650	30
140062537	6	4000	LEDDownlightRc-ESIII R100-6W-4000-WH-NV	650	30
140062538	6	6500	LEDDownlightRc-ESIII R100-6W-6500-WH-NV	650	30
140062539	12	3000	LEDDownlightRc-ESIII R150-12W-3000-WH-NV	1000	20
140062540	12	4000	LEDDownlightRc-ESIII R150-12W-4000-WH-NV	1000	20
140062541	12	6500	LEDDownlightRc-ESIII R150-12W-6500-WH-NV	1000	20
140062542	18	3000	LEDDownlightRc-ESIII R200-18W-3000-WH-NV	1300	10
140062543	18	4000	LEDDownlightRc-ESIII R200-18W-4000-WH-NV	1300	10
140062544	18	6500	LEDDownlightRc-ESIII R200-18W-6500-WH-NV	1300	10
140062545	24	3000	LEDDownlightRc-ESIII R200-24W-3000-WH-NV	1500	10
140062546	24	4000	LEDDownlightRc-ESIII R200-24W-4000-WH-NV	1500	10
140062547	24	6500	LEDDownlightRc-ESIII R200-24W-6500-WH-NV	1500	10
140062548	6	3000	LEDDownlightRc-ESIII S100-6W-3000-WH-NV	650	30
140062549	6	4000	LEDDownlightRc-ESIII S100-6W-4000-WH-NV	650	30
140062550	6	6500	LEDDownlightRc-ESIII S100-6W-6500-WH-NV	650	30
140062551	12	3000	LEDDownlightRc-ESIII S150-12W-3000-WH-NV	1000	20
140062552	12	4000	LEDDownlightRc-ESIII S150-12W-4000-WH-NV	1000	20
140062553	12	6500	LEDDownlightRc-ESIII S150-12W-6500-WH-NV	1000	20
140062554	18	3000	LEDDownlightRc-ESIII S200-18W-3000-WH-NV	1300	10
140062555	18	4000	LEDDownlightRc-ESIII S200-18W-4000-WH-NV	1300	10
140062556	18	6500	LEDDownlightRc-ESIII S200-18W-6500-WH-NV	1300	10
140062557	24	3000	LEDDownlightRc-ESIII S200-24W-3000-WH-NV	1500	10
140062558	24	4000	LEDDownlightRc-ESIII S200-24W-4000-WH-NV	1500	10
140062559	24	6500	LEDDownlightRc-ESIII S200-24W-6500-WH-NV	1500	10

Features & Benefits

- High lumen output & long life • Up to 50 % energy saving than conventional downlight • Life - 3 times longer than conventional downlight • Easy maintenance and aesthetic product



**LED Spot HP

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140048364	8	3000	LEDSpotRA-HP 8W-Dim-3000-20D-AL-GP	3100	12
140048352	16	3000	LEDSpotRA-HP 16W-Dim-3000-20D-AL-GP	4100	12
140048358	20	3000	LEDSpotRA-HP 20W-Dim-3000-20D-AL-GP	4500	12

**Products are available on order

Features & Benefits

- 1-10V dimming • Secondary reflector, UGR < 10 • Tilt 30° • Multiple light filter and reflector options - 10°, 15°, 20° or 30°

*LED Spot HJ



Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140056827	10	3000	LEDspotRA-HJ 10W-3000-16D-WH-GP	1798	30
140056828	10	3000	LEDspotRA-HJ 10W-3000-24D-WH-GP	1798	30
140056829	10	3000	LEDspotRA-HJ 10W-3000-36D-WH-GP	1798	30
140056830	10	4000	LEDspotRA-HJ 10W-4000-16D-WH-GP	1798	30
140056831	10	4000	LEDspotRA-HJ 10W-4000-24D-WH-GP	1798	30
140056832	10	4000	LEDspotRA-HJ 10W-4000-36D-WH-GP	1798	30
140056833	16	3000	LEDspotRA-HJ 16W-3000-16D-WH-GP	2325	32
140056834	16	3000	LEDspotRA-HJ 16W-3000-24D-WH-GP	2325	32
140056835	16	3000	LEDspotRA-HJ 16W-3000-36D-WH-GP	2325	32
140056836	16	4000	LEDspotRA-HJ 16W-4000-16D-WH-GP	2325	32
140056837	16	4000	LEDspotRA-HJ 16W-4000-24D-WH-GP	2325	32
140056838	16	4000	LEDspotRA-HJ 16W-4000-36D-WH-GP	2325	32
140056839	30	3000	LEDspotRA-HJ 30W-3000-16D-WH-GP	3518	24
140056840	30	3000	LEDspotRA-HJ 30W-3000-24D-WH-GP	3518	24
140056841	30	3000	LEDspotRA-HJ 30W-3000-36D-WH-GP	3518	24
140056842	30	4000	LEDspotRA-HJ 30W-4000-16D-WH-GP	3518	24
140056843	30	4000	LEDspotRA-HJ 30W-4000-24D-WH-GP	3518	24
140056844	30	4000	LEDspotRA-HJ 30W-4000-36D-WH-GP	3518	12
140056845	40	3000	LEDspotRA-HJ 40W-3000-17D-WH-GP	4672	12
140056846	40	3000	LEDspotRA-HJ 40W-3000-24D-WH-GP	4672	12
140056847	40	3000	LEDspotRA-HJ 40W-3000-36D-WH-GP	4672	12
140056848	40	4000	LEDspotRA-HJ 40W-4000-17D-WH-GP	4672	12
140056849	40	4000	LEDspotRA-HJ 40W-4000-24D-WH-GP	4672	12
140056850	40	4000	LEDspotRA-HJ 40W-4000-36D-WH-GP	4672	12

* 16°, 36° & 4000K colour are available on request

Features & Benefits

• New designed compound-eye lens • Aluminum die-casting heat sink • Multiple choices of beam angle & power • Horizontal rotation 35°, vertical rotation 35°

LED Spot HS



Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140053687	4.5	3000	LEDspotlightRA-HS R70-4.5W-3000-WH-GP	399	45
140053688	4.5	4000	LEDspotlightRA-HS R70-4.5W-4000-WH-GP	399	45
140053689	4.5	5700	LEDspotlightRA-HS R70-4.5W-5700-WH-GP	399	45
140063441	7	3000	LEDspotlightRA-HS R70-7W-3000-WH-GP	600	45
140063442	7	4000	LEDspotlightRA-HS R70-7W-4000-WH-GP	600	45
140063443	7	5700	LEDspotlightRA-HS R70-7W-5700-WH-GP	600	45

Features & Benefits

• Clean beam • Comfortable light • Easy to use • Energy saving • Flexible adjustment (7W)
• Flicker free - Protects sensitive eyesight



LED Spot RF

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140047271	2	3000	LEDspotRF-E 2W-3000-25D-AL-GP	325	240
140047273	2	6500	LEDspotRF-E 2W-6500-25D-AL-GP	325	240

Features & Benefits

• Flicker free - Protects sensitive eyesight • Accurate beam angle • Robust design

**LED Grid HJ



Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140056821	10	3000	LEDspotGR-HJ-1 10W-3000-24D-WH-GP	2100	12
140056851	10	4000	LEDspotGR-HJ-1 10W-4000-24D-WH-GP	2100	12
140056852	20	3000	LEDspotGR-HJ-2 20W-3000-24D-WH-GP	3674	8
140056853	20	4000	LEDspotGR-HJ-2 20W-4000-24D-WH-GP	3674	8
140056854	20	3000	LEDspotGR-HJ-1 20W-3000-24D-WH-GP	3754	8
140056855	20	4000	LEDspotGR-HJ-1 20W-4000-24D-WH-GP	3754	8
140056858	30	3000	LEDspotGR-HJ-1 30W-3000-24D-WH-GP	3874	8
140056859	30	4000	LEDspotGR-HJ-1 30W-4000-24D-WH-GP	3874	8
140056856	40	3000	LEDspotGR-HJ-2 40W-3000-24D-WH-GP	6838	4
140056857	40	4000	LEDspotGR-HJ-2 40W-4000-24D-WH-GP	6838	4
140056862	40	3000	LEDspotGR-HJ-1 40W-3000-24D-WH-GP	4976	8
140056863	40	4000	LEDspotGR-HJ-1 40W-4000-24D-WH-GP	4976	8
140056860	60	3000	LEDspotGR-HJ-2 60W-3000-24D-WH-GP	7348	4
140056861	60	4000	LEDspotGR-HJ-2 60W-4000-24D-WH-GP	7348	4
140056864	80	3000	LEDspotGR-HJ-2 80W-3000-24D-WH-GP	9760	4
140056865	80	4000	LEDspotGR-HJ-2 80W-4000-24D-WH-GP	9760	4

**4000K Products are available on request

Features & Benefits

• Newly design compound-eye lens with high efficacy • Aluminum die-casting heat sink
• Multiple choices of beam angle & grid heads • Tilt 35°, beam angle 24°

LED Track Performer



Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140044830	30	3000	LEDspotTR-P 30W-3000-20D-WH-GP	5050	8
140051320	30	3000	LEDspotTR-P 30W-3000-20D-BL-GP	5050	8
140046558	30	4000	LED Spot TR-P-30W-4000-30D-WH-GP	5050	8
140044834	45	3000	LEDspotTR-P 45W-3000-30D-WH-GP	7750	8
140051324	45	3000	LEDspotTR-P 45W-3000-30D-BL-GP	7750	8
140001813	-	-	LG310/WH/C-Accessory-1mt white track	850	20
140001817	-	-	LG320/WH/C-Accessory-2mt white track	1700	20
140001814	-	-	LG310/BK/C-Accessory-1mt black track	850	20
140001818	-	-	LG320/BK/C-Accessory-2mt black track	1700	25
140001819	-	-	3LGB/+ /WH-Xsection Joint	275	50
140001821	-	-	3LGB/L/WH-L Section Joint	225	50
140001823	-	-	3LGB/T/WH-T section Joint	275	50
140001825	-	-	3LGB/I/WH-I Section Joint	275	100

Features & Benefits

• Multiple beam angle options - 10°, 15°, 20° or 30° • Tilt 180°, rotate 355°
• No UV radiation



NEW

LED Track Utility

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140058507	5	3000	LEDSpotTR-U 5W-3000-30D-WH-GP	599	48
140058508	5	6500	LEDSpotTR-U 5W-6500-30D-WH-GP	599	48
140058509	7	3000	LEDSpotTR-U 7W-3000-30D-WH-GP	699	48
140058510	7	6500	LEDSpotTR-U 7W-6500-30D-WH-GP	699	48
140066316	12	3000	LEDSpotTR-U 12W-3000-30D-WH-GP	1599	36
140066317	12	6500	LEDSpotTR-U 12W-6500-30D-WH-GP	1599	36
140066318	20	3000	LEDSpotTR-U 20W-3000-30D-WH-GP	2199	24
140066319	20	6500	LEDSpotTR-U 20W-6500-30D-WH-GP	2199	24
140066320	30	3000	LEDSpotTR-U 30W-3000-30D-WH-GP	3199	12
140066321	30	6500	LEDSpotTR-U 30W-6500-30D-WH-GP	3199	12
140059216	-	-	Track-LG205/WH-2line-0.5m	269	-
140059217	-	-	Track-LG210/WH-2line-1.0m	369	-
140059218	-	-	Connector-LGLJQ-I/WH-2line-I shape	110	-
140059219	-	-	Connector-LGLJQ-L/WH2line-Lshape	130	-

Features & Benefits

- Multiple beam angle options - 10°, 15°, 20° or 30° • Tilt 180°, rotate 355°
- No UV radiation



LED Track Utility (Surface Mounted)

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140058511	5	3000	LEDspotSM-U 5W-3000-30D-WH-GP	599	48
140058512	5	6500	LEDspotSM-U 5W-6500-30D-WH-GP	599	48
140058513	7	3000	LEDspotSM-U 7W-3000-30D-WH-GP	699	48
140058514	7	6500	LEDspotSM-U 7W-6500-30D-WH-GP	699	48

Features & Benefits

- Multiple beam angle options - 10°, 15°, 20° or 30° • Tilt 180°, rotate 355°
- No UV radiation

LED Panel Slim

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140058687	37	3000	LED SPanelRc-EII Re295-WH	4995	4
140058688	37	4000	LED SPanelRc-EII Re295-WH	4995	4
140058689	37	6000	LED SPanelRc-EII Re295-WH	4995	4
140062125	37	3000	LED SPanelRc-EII Sq595-WH-India	4615	4
140062126	37	4000	LED SPanelRc-EII Sq595-WH-India	4615	4
140062127	37	6000	LED SPanelRc-EII Sq595-WH-India	4615	4
140058515	37	-	LED SPanel-EII 37W-Driver	-	1
140064016	37	-	LED SPanel-EII for 1 Panel Clip	-	-
140058145	-	-	LED SPanel Rc-EII Surface Module-WH	1190	4

Features & Benefits

- Flicker free - Protects sensitive eyesight • High lumen efficacy
- Long lifespan, install and forget



NEW

LED Backlit Panel 2x2 (EcoMax)

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140062000	36	4000	LEDPanelRc-BL Sq595-36W-HF-4000-WH-GP	4615	4
140062001	36	6000	LEDPanelRc-BL Sq595-36W-HF-6000-WH-GP	4615	4
140062002	36	4000	LEDPanelRc-BL Re295-36W-HF-4000-WH-GP	4995	4
140062003	36	6000	LEDPanelRc-BL Re295-36W-HF-6000-WH-GP	4995	4
140062004	48	4000	LEDPanelRc-BL Sq595-48W-HF-4000-WH-GP	4900	4
140062005	48	6000	LEDPanelRc-BL Sq595-48W-HF-6000-WH-GP	4900	4

Features & Benefits

High Efficiency upto 100 lm/w good choice for project

- Up to 60% energy saving • Flexible, can fit with different mounting requirement
- Minimizes maintenance with long lifespan and low failure rate • Easy to handle but strong enough to withstand severe sea shipment condition • Light in weight but sturdily built passing stack test, drop test, stamping test & Vibration test



LED Zenith

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140047274	45	3000	LEDPanelSp-Z L1222-45W-3000-TR-GP	15995	1
140047275	45	4000	LEDPanelSp-Z L1222-45W-4000-TR-GP	15995	1
140047588	45	5700	LEDPanelSp-Z L1222-45W-5700-TR-GP	15995	1
140047276	80	3000	LEDPanelSp-Z L1222-80W-3000-TR-GP	19995	1
140047277	80	4000	LEDPanelSp-Z L1222-80W-4000-TR-GP	19995	1
140047587	80	5700	LEDPanelSp-Z L1222-80W-5700-TR-GP	19995	1

Features & Benefits

- Unique, modern design • Omni directional light emission • Batwing light distribution
- High lumen efficacy, 100 lm/W • Flicker free - Protects sensitive eyesight



LED High Flux Batten

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140058674	19	3000	LED-E-HF Batten-SF-600mm-19W-3000K-CT	1499	20
140058675	19	4000	LED-E-HF Batten-SF-600mm-19W-4000K-CT	1499	20
140058676	19	6500	LED-E-HF Batten-SF-600mm-19W-6500K-CT	1499	20
140058677	38	3000	LED-E-HF Batten-SF-1200mm-38W-3000K-CT	1999	20
140058678	38	4000	LED-E-HF Batten-SF-1200mm-38W-4000K-CT	1999	20
140058679	38	6500	LED-E-HF Batten-SF-1200mm-38W-6500K-CT	1999	20
140058680	-	-	LED-E-HF Batten-Middle Connector	120	-
140058681	-	-	LED-E-HF Batten-Suspended Rope	40	-

Features

- High lumen output - efficiency upto 100lm/W • Plug & play installation • Energy saving 50% as compared to conventional T-8 Batten • Long lifespan 3 times longer than conventional T-8 Batten • Availability of 2 feet and 4 feet versions




LED Bulkhead EcoMax

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
543022000310	6.5	3000	LED bulkhead-E 6.5W-3000-FR-GP	1100	45
543022000410	6.5	4000	LED bulkhead-E 6.5W-4000-FR-GP	1100	45
543022000510	6.5	6500	LED bulkhead-E 6.5W-6500-FR-GP	1100	45
543022000610	13	3000	LED bulkhead-E 13W-3000-FR-GP	1790	50
543022000710	13	4000	LED bulkhead-E 13W-4000-FR-GP	1790	50
543022000810	13	6500	LED bulkhead-E 13W-6500-FR-GP	1790	50

Features & Benefits

- Upto 100lm/w, 30Khrs lifespan • IP65 rated, IK08 anti-shock rating • Outstanding waterproof design, adaptable in rough environment • Impact resistant, low maintenance • Upto to 90 % energy saving compared to conventional wall light



LED Flood Light

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140055431	10	6500	LED floodlight-P 10W-6500K-GY-GP	2575	8
140055437	20	6500	LED floodlight-P 20W-6500K-GY-GP	3175	8

Features & Benefits

- Slimmest & most compact design • Aluminum die-cast housing with integrated driver • IP65, IK08, 80lm/W



LED Flood Light EII

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140059516	30	3000	LED floodlight-E II 30 W-3000 GY-GP	3060	18
140059517	30	4000	LED floodlight-E II 30 W-4000 GY-GP	3060	18
140059518	30	6000	LED floodlight-E II 30 W-6000 GY-GP	3060	18
140059519	50	3000	LED floodlight-E II 50 W-3000 GY-GP	4320	12
140059520	50	4000	LED floodlight-E II 50 W-4000 GY-GP	4320	12
140059521	50	6000	LED floodlight-E II 50 W-6000 GY-GP	4320	12
140059619	70	3000	LED floodlight-E II 70 W-3000 GY-GP	4900	6
140059620	70	4000	LED floodlight-E II 70 W-4000 GY-GP	4900	6
140059621	70	6000	LED floodlight-E II 70 W-6000 GY-GP	4900	6
140059622	100	3000	LED floodlight-E II 100 W-3000 GY-GP	5300	6
140059623	100	4000	LED floodlight-E II 100 W-4000 GY-GP	5300	6
140059624	100	6000	LED floodlight-E II 100 W-6000 GY-GP	5300	6

Features & Benefits

- Optimal heat management • High lumen output, anti-glare • IP65 protection rating • Anti-shock IK08, 3G vibration endurance



LED Flood Light EcoMax H

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140064730	200	5700	LED Floodlight-EII-60D-GY-GP	27000	4
543098001710	400	-	LED Floodlight-EII-2x200W-5700-60D-GY-GP	-	-

Features & Benefits

- Slim & Compact design • Robust Housing and refined finished coating • 50% lower energy consumption & longer life span • IP 65, IK 08, upto 100 lumen/W • Vibration, wind & rust proof product • Excellent thermal management for stable performance • Long life, low maintenance cost and easy installation • Surge Protection 10KV



LED Highbay

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140059756	40	5700	LEDHighbay-P3-60D-GY-GP	9850	1
140059762	80	5700	LEDHighbay-P3-60D-GY-GP	14500	1
140059768	120	5700	LEDHighbay-P3-60D-GY-GP	21000	1
140059774	160	5700	LEDHighbay-P3-60D-GY-GP	28000	1
140044049	-	-	Accessory for Pollmounted Installation (40/80/120/160W)	-	-
140060030	-	-	Accessory for Wallmounted Installation (40/80/120W)	-	-
140044050	-	-	Accessory for Wallmounted Installation (160W)	-	-

Features & Benefits

- Long lifespan, install and forget • Robust design • Easily replaces conventional Highbay up to 70% energy saving • 50000hrs life span, 5 times longer than conventional Highbay • Upto 125 lm/W, fin heat sink design meeting all applications & demand



LED Street Light EQ Series

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140058466	20	3000	LEDStreetlight-EQ 20W-3000-150+70D-GY-GP	3500	6
140058467	20	4000	LEDStreetlight-EQ 20W-4000-150+70D-GY-GP	3500	6
140058462	20	5700	LEDStreetlight-EQ 20W-5700-150+70D-GY-GP	3500	6
140058463	40	3000	LEDStreetlight-EQ 40W-3000-150+70D-GY-GP	5500	6
140058465	40	4000	LEDStreetlight-EQ 40W-4000-150+70D-GY-GP	5500	6
140058464	40	5700	LEDStreetlight-EQ 40W-5700-150+70D-GY-GP	5500	6
140066457	60	3000	LEDStreetlight-EQ 60W-3000-150+70D-GY-GP	8500	4
140066458	60	4000	LEDStreetlight-EQ 60W-4000-150+70D-GY-GP	8500	4
140066459	60	5700	LEDStreetlight-EQ 60W-5700-150+70D-GY-GP	8500	4



LED Street Light PQ Series

Product Code	Power (W)	Colour (K)	Product Description	MRP (INR)	Std. Pack (Pcs)
140063309	100	3000	LEDStreetlight-PQ 100W-3000-LG-GP	17990	2
140063310	100	4000	LEDStreetlight-PQ 100W-4000-LG-GP	17990	2
140063312	100	5700	LEDStreetlight-PQ 100W-5700-LG-GP	17990	2
140063317	150	3000	LEDStreetlight-PQ 150W-3000-LG-GP	19990	2
140063318	150	4000	LEDStreetlight-PQ 150W-4000-LG-GP	19990	2
140063320	150	5700	LEDStreetlight-PQ 150W-5700-LG-GP	19990	2

Features & Benefits

- Wide application voltage range • Surge protection up to 5KV • Optimal heat management • High lumen output, anti-glare • IP65 protection rating • No dark spaces, excellent light effect • Safe for outdoor use, weather resistant • Up to 60% energy saving compared to HPS streetlight • Long life, low maintenance cost

OPPLE
PROJECTS INDIA



WESTIN
HOTELS & RESORTS



raymond



OPPLE
PROJECTS INDIA



OPPLE

PROJECTS INDIA



Bio Plant
Bangalore

OPPLE
PROJECTS INDIA



Selfie Expert
Dual Selfie Camera
F3 | F3 Plus

oppo

Selfie Expert
Dual Selfie Camera
F3 | F3 Plus

oppo

OPPLE

PROJECTS INDIA



OPPLE
PROJECTS INDIA



OPPLE'S ILLUMINATED CLIENTELE

Esteemed Customers - Retail Segment



Esteemed Customers - Hospitality Segment



Esteemed Customers - Healthcare Segment



Esteemed Customers - Education Segment



Esteemed Customers - Industrial Segment



Esteemed Customers - Office Segment



Esteemed Customers - Religious Segment



TERMS AND CONDITIONS :

1. This price list supercedes all earlier price lists.
2. Prices are subject to change without notice as per company discretion.
3. Opple Lighting India Pvt. Ltd. reserves the right to make changes in the design and data without any prior notice.
4. Care has been taken to ensure that the information contained within this list is correct. Company reserves the right to issue amendments, which may arise due to any errors in the price list.
5. MRP prices are inclusive of GST. They are the maximum recommended prices. However dealers/retailers are free to sell below the maximum recommended prices.
6. All rights reserved. Reproduction in whole or in part is prohibited.

GLOBAL NETWORK



OPPLE

Opple Lighting India Private Limited
DJ-1124, DLF Tower-B, Jasola District Centre, New Delhi - 110025, India
T +91 11 49881800, +91 11 49881888, 18 00 419 3888
E india@opple.com | customercare.india@opple.com

Follow us on:

<https://www.facebook.com/opplelightingindia> <https://www.twitter.com/oppleindia>

OPPLE.COM

