


Panasonic

LED



ILLUMINATION THAT INSPIRES
LED LIGHTING

Price List
September 2020



Panasonic LED

Panasonic LED- Illumination that inspires the best in you.

Light inspires a wide range of emotions. Enriched by a century of experience and relevance, we have created lights that encompass the epic range of human feelings. Our technical expertise gives us an intuitive edge to understand your needs and make products accordingly. So here we are, with world - class LED products crafted with impeccable technical precision and unmatched style that inspire the best in you. May this illumination inspire you, today and always.


Safety



Confirmed to BIS standards

Surge Protection

A Panasonic LED's driver has a surge voltage resistance upto 2.5 KV, which protects the light against strong thunderstorms.



Wide Voltage Range

Wide input voltage range (80-400V)*

*LED Bulb (100-320V)


Voltage fluctuations are common in most places in India, so Panasonic LEDs have a wide operating voltage range.



Fire Resistance


Panasonic LEDs use a Class V0 polycarbonate material which does not catch fire. This ensures that the fire does not spread to the other electrical equipments during short circuits.

Comfort



Low Glare


Glare can lead to discomfort. That's why Panasonic LED a high quality diffuser and smart design for glareless lighting making them best suited for the home.



Uniform Lighting


Panasonic LEDs have a uniform arrangement of LEDs and use a wide diffuser to ensure uniform lighting.

Long Life



Consistent Light Output

With the UV-Stabilised Polycarbonate Diffuser, light output remains the same for a long time, which also prevents the diffuser from yellowing.







Better Heat Dissipation




High quality housing and design leads to better heat management and maintains the initial brightness up to 50,000 burning hours.








Heat is drawn away from the light module towards the heat sink, where it dissipates from the fixture.





Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
LED Spot Light								
	2W	2700K	Ø 33	41.6 x 16.5	108	PSPM01022	180	50
		6000K	Ø 33	41.6 x 16.5	120	PSPM01026	180	50
		Red	Ø 33	41.6 x 16.5	NA	PSPM0102R	180	50
		Green	Ø 33	41.6 x 16.5	NA	PSPM0102G	180	50
		Blue	Ø 33	41.6 x 16.5	NA	PSPM0102B	180	50
LED Emergency Bulb								
	7W	6500K	NA	65 x 123	700	PBUM13077	600	10
	10W	6500K	NA	75 x 139	950	PBUM13107	750	10
LED Motion Sensor Bulb								
	7W	6500K	NA	60 x 125	470	PBUM10077	560	30
LED Radar Bulb								
	9W	6500K	NA	60 x 116	900	PBUM28097	700	10


Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
LED RGB Bulb								
	7W	RGB	NA	60 x 114	NA	PBUM11070	750	30
LED T - Flexi Bulb								
	10W	6500K	NA	201 x 30 x 100	1000	PBUM23107	280	30
KIGLO HYPER : HW Bulb								
	30W	6500K	NA	115 x 220	2400	PBUM04307	875	10
	40W	6500K	NA	135 x 255	3400	PBUM04407	1075	10
	50W	6500K	NA	135 x 255	4200	PBUM04507	1275	10
KIGLO HYPER : HW Bulb - Rocket Shape								
	30W	6500K	NA	95 x 203	3000	PBUM26307	1250	10
	40W	6500K	NA	105 x 233	4000	PBUM26407	1635	10
	30W	6500K	NA	105 x 253	5000	PBUM26507	2025	10


Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
Kiglo Omni Bulb : B22 holder								
	3W	3000K	NA	50 x 94	248	PBUM01033	125	50
	3W	6500K	NA	50 x 94	276	PBUM01037	125	50
	5W	3000K	NA	57 x 101	450	PBUM01053	140	50
	5W	6500K	NA	57 x 101	500	PBUM01057	140	50
	7W	3000K	NA	57 x 101	630	PBUM01073	145	50
	7W	4000K	NA	57 x 101	665	PBUM01074	145	50
	7W	6500K	NA	57 x 101	700	PBUM01077	145	50
	9W	3000K	NA	57 x 101	810	PBUM01093	170	50
	9W	4000K	NA	57 x 101	855	PBUM01094	170	50
	9W	6500K	NA	57 x 101	900	PBUM01097	170	50
	12W	3000K	NA	60 x 110	990	PBUM01123	255	50
	12W	4000K	NA	60 x 110	1049	PBUM01124	255	50
	12W	6500K	NA	60 x 110	1104	PBUM01127	255	50
	15W	3000K	NA	65 x 122	1240	PBUM01153	280	50
	15W	6500K	NA	65 x 122	1380	PBUM01157	280	50
	18W	3000K	NA	75 x 140	1656	PBUM01183	350	50
23W	6500K	NA	80 x 154	2300	PBUM01237	540	20	
Kiglo Omni Bulb : E27 holder								
	3W	3000K	NA	50 x 94	248	PBUM18033	140	30
	3W	6500K	NA	50 x 94	276	PBUM18037	140	30
	5W	3000K	NA	57 x 101	450	PBUM18053	155	30
	5W	6500K	NA	57 x 101	500	PBUM18057	155	30
	7W	3000K	NA	57 x 101	630	PBUM18073	160	30
	7W	6500K	NA	57 x 101	700	PBUM18077	160	30
	9W	3000K	NA	57 x 101	810	PBUM18093	185	30
	9W	6500K	NA	57 x 101	900	PBUM18097	185	30


Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
Candle Light Lamp								
	4W	3000K	NA	38 x 107	360	PBUM15043	125	20
	4W	6500K	NA	38 x 107	400	PBUM15047	125	20
Night Lamp								
	0.5W	Blue	NA	45 x 70	NA	92853BU	55	60
	0.5W	Green	NA	45 x 70	NA	92853GN	55	60
	0.5W	Red	NA	45 x 70	NA	92853RD	55	60
	0.5W	White	NA	45 x 70	NA	92853WH	55	60
	0.5W	Yellow	NA	45 x 70	NA	92853YW	55	60
	0.5W	Orange	NA	45 x 70	NA	92853OR	55	60
	0.5W	Pink	NA	45 x 70	NA	92853PN	55	60
PENDANT Lamp								
	26W	6500K	NA	310 x 84	2340	PBUM20267	2500	6


Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
IGNITOS MODAN : Panel Light Circular								
	3W	3000K	Ø 75	85 x 12	159	PPAM05033	375	10
	3W	4000K	Ø 75	85 x 12	170	PPAM05034	375	10
	3W	6000K	Ø 75	85 x 12	180	PPAM05036	375	10
	6W	3000K	Ø 109	120 x 12	317	PPAM05063	520	10
	6W	4000K	Ø 109	120 x 12	342	PPAM05064	520	10
	6W	6000K	Ø 109	120 x 12	360	PPAM05066	520	10
	9W	3000K	Ø 136	150 x 12	475	PPAM05093	595	10
	9W	4000K	Ø 136	150 x 12	515	PPAM05094	595	10
	9W	6000K	Ø 136	150 x 12	540	PPAM05096	595	10
	12W	3000K	Ø 136	150 x 12	686	PPAM05123	660	10
	12W	4000K	Ø 136	150 x 12	741	PPAM05124	660	10
	12W	6000K	Ø 136	150 x 12	780	PPAM05126	660	10
	15W	3000K	Ø 158	170 x 12	924	PPAM05153	745	10
	15W	4000K	Ø 158	170 x 12	998	PPAM05154	745	10
	15W	6000K	Ø 158	170 x 12	1050	PPAM05156	745	10
	18W	3000K	Ø 186	200 x 12	1109	PPAM05183	880	10
	18W	4000K	Ø 186	200 x 12	1198	PPAM05184	880	10
	18W	6000K	Ø 186	200 x 12	1260	PPAM05186	880	10



Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
IGNITOS MODAN : Panel Light Square								
	3W	3000K	Ø 75 x 75	85 x 85 x 12	159	PPAM06033	375	10
	3W	4000K	Ø 75 x 75	85 x 85 x 12	170	PPAM06034	375	10
	3W	6000K	Ø 75 x 75	85 x 85 x 12	180	PPAM06036	375	10
	6W	3000K	Ø 109 x 109	120 x 120 x 12	317	PPAM06063	520	10
	6W	4000K	Ø 109 x 109	120 x 120 x 12	342	PPAM06064	520	10
	6W	6000K	Ø 109 x 109	120 x 120 x 12	360	PPAM06066	520	10
	9W	3000K	Ø 136 x 136	150 x 150 x 12	475	PPAM06093	595	10
	9W	4000K	Ø 136 x 136	150 x 150 x 12	515	PPAM06094	595	10
	9W	6000K	Ø 136 x 136	150 x 150 x 12	540	PPAM06096	595	10
	12W	3000K	Ø 136 x 136	150 x 150 x 12	686	PPAM06123	660	10
	12W	4000K	Ø 136 x 136	150 x 150 x 12	741	PPAM06124	660	10
	12W	6000K	Ø 136 x 136	150 x 150 x 12	780	PPAM06126	660	10
	15W	3000K	Ø 158 x 158	170 x 170 x 12	924	PPAM06153	745	10
	15W	4000K	Ø 158 x 158	170 x 170 x 12	998	PPAM06154	745	10
	15W	6000K	Ø 158 x 158	170 x 170 x 12	1050	PPAM06156	745	10
	18W	3000K	Ø 186 x 186	200 x 200 x 12	1109	PPAM06183	880	10
18W	4000K	Ø 186 x 186	200 x 200 x 12	1198	PPAM06184	880	10	
18W	6000K	Ø 186 x 186	200 x 200 x 12	1260	PPAM06186	880	10	



Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
IGNITOS MODAN : Step Panel Light - Circular								
	3W	3000K	Ø 75	85 x 25	135	PPAM11033	600	10
	3W	4000K	Ø 75	85 x 25	150	PPAM11034	600	10
	3W	6000K	Ø 75	85 x 25	150	PPAM11036	600	10
	5W	3000K	Ø 108	120 x 25	260	PPAM11053	700	10
	5W	4000K	Ø 108	120 x 25	270	PPAM11054	700	10
	5W	6000K	Ø 108	120 x 25	275	PPAM11056	700	10
	10W	3000K	Ø 132	145 x 25	670	PPAM11103	900	10
	10W	4000K	Ø 132	145 x 25	700	PPAM11104	900	10
	10W	6000K	Ø 132	145 x 25	700	PPAM11106	900	10
	15W	3000K	Ø 156	170 x 25	1000	PPAM11153	1000	10
	15W	4000K	Ø 156	170 x 25	1050	PPAM11154	1000	10
	15W	6000K	Ø 156	170 x 25	1050	PPAM11156	1000	10
	20W	3000K	Ø 177	190 x 25	1340	PPAM11203	1200	10
	20W	4000K	Ø 177	190 x 25	1400	PPAM11204	1200	10
	20W	6000K	Ø 177	190 x 25	1400	PPAM11206	1200	10
	24W	3000K	Ø204	220 x 25	1584	PPAM11243	1600	10
	24W	4000K	Ø204	220 x 25	1632	PPAM11244	1600	10
	24W	6000K	Ø204	220 x 25	1680	PPAM11246	1600	10



Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
IGNITOS MODAN : Step Panel Light - Square								
	3W	3000K	∅ 75 x 75	85 x 85 x 25	135	PPAM12033	600	10
	3W	4000K	∅ 75 x 75	85 x 85 x 25	150	PPAM12034	600	10
	3W	6000K	∅ 75 x 75	85 x 85 x 25	150	PPAM12036	600	10
	5W	3000K	∅ 108 x 108	120 x 120 x 25	260	PPAM12053	700	10
	5W	4000K	∅ 108 x 108	120 x 120 x 25	270	PPAM12054	700	10
	5W	6000K	∅ 108 x 108	120 x 120 x 25	275	PPAM12056	700	10
	10W	3000K	∅ 132 x 132	145 x 145 x 25	670	PPAM12103	900	10
	10W	4000K	∅ 132 x 132	145 x 145 x 25	700	PPAM12104	900	10
	10W	6000K	∅ 132 x 132	145 x 145 x 25	700	PPAM12106	900	10
	15W	3000K	∅ 156 x 156	170 x 170 x 25	1000	PPAM12153	1000	10
	15W	4000K	∅ 156 x 156	170 x 170 x 25	1050	PPAM12154	1000	10
	15W	6000K	∅ 156 x 156	170 x 170 x 25	1050	PPAM12156	1000	10
	20W	3000K	∅ 177 x 177	190 x 190 x 25	1340	PPAM12203	1200	10
	20W	4000K	∅ 177 x 177	190 x 190 x 25	1400	PPAM12204	1200	10
	20W	6000K	∅ 177 x 177	190 x 190 x 25	1400	PPAM12206	1200	10
	24W	3000K	∅ 204 x 204	220 x 220 x 25	1584	PPAM12243	1600	10
24W	4000K	∅ 204 x 204	220 x 220 x 25	1632	PPAM12244	1600	10	
24W	6000K	∅ 204 x 204	220 x 220 x 25	1680	PPAM12246	1600	10	



Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
IGNITOS ANORA : Panel Light - Circular								
	5W	3000K	Ø 108	120 x 20	297	PPAM07053	500	10
	5W	4000K	Ø 108	120 x 20	330	PPAM07054	500	10
	5W	6000K	Ø 108	120 x 20	350	PPAM07056	500	10
	10W	3000K	Ø 160	170 x 20	693	PPAM07103	570	10
	10W	4000K	Ø 160	170 x 20	770	PPAM07104	570	10
	10W	6000K	Ø 160	170 x 20	831	PPAM07106	570	10
	15W	3000K	Ø 160	170 x 20	990	PPAM07153	710	10
	15W	4000K	Ø 160	170 x 20	1100	PPAM07154	710	10
	15W	6000K	Ø 160	170 x 20	1188	PPAM07156	710	10
	20W	3000K	Ø 205	225 x 20	1287	PPAM07203	855	10
	20W	4000K	Ø 205	225 x 20	1287	PPAM07204	855	10
	20W	6000K	Ø 205	225 x 20	1287	PPAM07206	855	10

Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
IGNITOS ANORA : Panel Light - Square								
	5W	3000K	∅ 108 x 108	120 x 120 x 20	297	PPAM08053	500	10
	5W	4000K	∅ 108 x 108	120 x 120 x 20	330	PPAM08054	500	10
	5W	6000K	∅ 108 x 108	120 x 120 x 20	350	PPAM08056	500	10
	10W	3000K	∅ 160 x 160	170 x 170 x 20	693	PPAM08103	570	10
	10W	4000K	∅ 160 x 160	170 x 170 x 20	770	PPAM08104	570	10
	10W	6000K	∅ 160 x 160	170 x 170 x 20	831	PPAM08106	570	10
	15W	3000K	∅ 160 x 160	170 x 170 x 20	990	PPAM08153	710	10
	15W	4000K	∅ 160 x 160	170 x 170 x 20	1100	PPAM08154	710	10
	15W	6000K	∅ 160 x 160	170 x 170 x 20	1188	PPAM08156	710	10
	20W	3000K	∅ 205 x 205	225 x 225 x 20	1287	PPAM08203	855	10
	20W	4000K	∅ 205 x 205	225 x 225 x 20	1287	PPAM08204	855	10
	20W	6000K	∅ 205 x 205	225 x 225 x 20	1287	PPAM08206	855	10



Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
ADJUSTABLE Panel Light - Circular								
	12W	3000K	Ø 62-96	148 x 32	756	PPAM20123	985	10
	12W	4000K	Ø 62-96	148 x 32	798	PPAM20124	985	10
	12W	6000K	Ø 62-96	148 x 32	840	PPAM20127	985	10
	18W	3000K	Ø 62-147	200 x 32	1134	PPAM20183	1285	10
	18W	4000K	Ø 62-147	200 x 32	1197	PPAM20184	1285	10
	18W	6000K	Ø 62-147	200 x 32	1260	PPAM20187	1285	10
ADJUSTABLE Panel Light - Square								
	12W	3000K	Ø 62-96	148 x 119 x 32	756	PPAM21123	985	10
	12W	4000K	Ø 62-96	148 x 119 x 32	798	PPAM21124	985	10
	12W	6000K	Ø 62-96	148 x 119 x 32	840	PPAM21127	985	10
	18W	3000K	Ø 62-147	200 x170 x 32	1134	PPAM21183	1285	10
	18W	4000K	Ø 62-147	200 x170 x 32	1197	PPAM21184	1285	10
	18W	6000K	Ø 62-147	200 x170 x 32	1260	PPAM21187	1285	10



Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
LUMOR ANORA : Down Light Circular								
	5W	3000K	Ø 105	116 x 36	380	PDLM01053	490	10
	5W	4000K	Ø 105	116 x 36	392	PDLM01054	490	10
	5W	6500K	Ø 105	116 x 36	400	PDLM01057	490	10
	10W	3000K	Ø 105	116 x 36	808	PDLM01103	725	10
	10W	4000K	Ø 105	116 x 36	833	PDLM01104	725	10
	10W	6500K	Ø 105	116 x 36	850	PDLM01107	725	10
	15W	3000K	Ø 155	166 x 36	1283	PDLM01153	770	10
	15W	4000K	Ø 155	166 x 36	1323	PDLM01154	770	10
	15W	6500K	Ø 155	166 x 36	1350	PDLM01157	770	10
	20W	3000K	Ø 210	220 x 36	1710	PDLM01203	980	10
	20W	4000K	Ø 210	220 x 36	1764	PDLM01204	980	10
	20W	6500K	Ø 210	220 x 36	1800	PDLM01207	980	10
LUMOR ANORA : Down Light Square								
	5W	3000K	Ø 105 x 105	116 x 116 x 36	380	PDLM02053	490	10
	5W	4000K	Ø 105 x 105	116 x 116 x 36	392	PDLM02054	490	10
	5W	6500K	Ø 105 x 105	116 x 116 x 36	400	PDLM02057	490	10
	10W	3000K	Ø 105 x 105	116 x 116 x 36	808	PDLM02103	725	10
	10W	4000K	Ø 105 x 105	116 x 116 x 36	833	PDLM02104	725	10
	10W	6500K	Ø 105 x 105	116 x 116 x 36	850	PDLM02107	725	10
	15W	3000K	Ø 155 x 155	166 x 166 x 36	1283	PDLM02153	770	10
	15W	4000K	Ø 155 x 155	166 x 166 x 36	1323	PDLM02154	770	10
	15W	6500K	Ø 155 x 155	166 x 166 x 36	1350	PDLM02157	770	10
	20W	3000K	Ø 210 x 210	210 x 210 x 36	1710	PDLM02203	980	10
	20W	4000K	Ø 210 x 210	210 x 210 x 36	1764	PDLM02204	980	10
	20W	6500K	Ø 210 x 210	210 x 210 x 36	1800	PDLM02207	980	10




Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
LUMOR MODAN : Down Light								
	5W	3000K	Ø 70	95 x 58	430	PDLM04053	655	20
	5W	4000K	Ø 70	95 x 58	450	PDLM04054	655	20
	5W	6500K	Ø 70	95 x 58	460	PDLM04057	655	20
	8W	3000K	Ø 92	113 x 59	730	PDLM04083	745	20
	8W	4000K	Ø 92	113 x 59	760	PDLM04084	745	20
	8W	6500K	Ø 92	113 x 59	780	PDLM04087	745	20
	12W	3000K	Ø 130	145 x 66	1120	PDLM04123	885	20
	12W	4000K	Ø 130	145 x 66	1160	PDLM04124	885	20
12W	6500K	Ø 130	145 x 66	1200	PDLM04127	885	20	
CAMBER MODAN : Surface Down Light Circular								
	5W	3000K	NA	120 x 35	300	PDLM10053	750	10
	5W	4000K	NA	120 x 35	320	PDLM10054	750	10
	5W	6000K	NA	120 x 35	320	PDLM10056	750	10
	10W	3000K	NA	120 x 35	660	PDLM10103	1050	10
	10W	4000K	NA	120 x 35	700	PDLM10104	1050	10
	10W	6000K	NA	120 x 35	700	PDLM10106	1050	10
	15W	3000K	NA	170 x 35	1080	PDLM10153	1250	10
	15W	4000K	NA	170 x 35	1140	PDLM10154	1250	10
	15W	6000K	NA	170 x 35	1140	PDLM10156	1250	10
	20W	3000K	NA	225 x 35	1480	PDLM10203	1750	10
	20W	4000K	NA	225 x 35	1560	PDLM10204	1750	10
	20W	6000K	NA	225 x 35	1560	PDLM10206	1750	10







Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
CAMBER MODAN : Surface Down Light Square								
	5W	3000K	NA	120 x 120 x 35	300	PDLM11053	750	10
	5W	4000K	NA	120 x 120 x 35	320	PDLM11054	750	10
	5W	6000K	NA	120 x 120 x 35	320	PDLM11056	750	10
	10W	3000K	NA	120 x 120 x 35	660	PDLM11103	1050	10
	10W	4000K	NA	120 x 120 x 35	700	PDLM11104	1050	10
	10W	6000K	NA	120 x 120 x 35	700	PDLM11106	1050	10
	15W	3000K	NA	170 x 170 x 35	1080	PDLM11153	1250	10
	15W	4000K	NA	170 x 170 x 35	1140	PDLM11154	1250	10
	15W	6000K	NA	170 x 170 x 35	1140	PDLM11156	1250	10
	20W	3000K	NA	225 x 225 x 35	1480	PDLM11203	1750	10
	20W	4000K	NA	225 x 225 x 35	1560	PDLM11204	1750	10
	20W	6000K	NA	225 x 225 x 35	1560	PDLM11206	1750	10
Conceal Box Down Light								
	5W	3000K	Ø 75	110 x 55	360	PDLM15053	400	10
	5W	4000K	Ø 75	110 x 55	380	PDLM15054	400	10
	5W	6000K	Ø 75	110 x 55	400	PDLM15056	400	10
	5W	Red	Ø 75	110 x 55	NA	PDLM1505R	400	10
	5W	Green	Ø 75	110 x 55	NA	PDLM1505G	400	10
	5W	Blue	Ø 75	110 x 55	NA	PDLM1505B	400	10

Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
JUNCTION BOX Down Light								
	3W	3000K	Ø 46	80 x 45	210	PDLM16033	250	50
	3W	6500K	Ø 46	80 x 45	225	PDLM16037	250	50
	3W	Red	Ø 46	80 x 45	NA	PDLM1703R	265	50
	3W	Green	Ø 46	80 x 45	NA	PDLM1703G	265	50
	3W	Blue	Ø 46	80 x 45	NA	PDLM1703B	265	50
	3W	Pink	Ø 46	80 x 45	NA	PDLM1703P	265	50
COB Down Light - 36°								
	7W	3000K	Ø 80	100 x 60	640	PDLM14073	795	10
	7W	4000K	Ø 80	100 x 60	670	PDLM14074	795	10
	7W	6000K	Ø 80	100 x 60	700	PDLM14076	795	10
	9W	3000K	Ø 80	100 x 60	830	PDLM14093	1095	10
	9W	4000K	Ø 80	100 x 60	860	PDLM14094	1095	10
	9W	6000K	Ø 80	100 x 60	900	PDLM14096	1095	10
	12W	3000K	Ø 95	120 x 68	1100	PDLM14123	1295	10
	12W	4000K	Ø 95	120 x 68	1150	PDLM14124	1295	10
	12W	6000K	Ø 95	120 x 68	1200	PDLM14126	1295	10
	15W	3000K	Ø 95	120 x 68	1380	PDLM14153	1495	10
	15W	4000K	Ø 95	120 x 68	1440	PDLM14154	1495	10
	15W	6000K	Ø 95	120 x 68	1500	PDLM14156	1495	10
	18W	3000K	Ø 135	170 x 100	1768	PDLM14183	1995	10
	18W	4000K	Ø 135	170 x 100	1805	PDLM14184	1995	10
	18W	6000K	Ø 135	170 x 100	1905	PDLM14186	1995	10
	24W	3000K	Ø 135	170 x 100	2357	PDLM14243	2495	10
24W	4000K	Ø 135	170 x 100	2395	PDLM14244	2495	10	
24W	6000K	Ø 135	170 x 100	2450	PDLM14246	2495	10	




Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
Rimless Surface Down Light - Circular								
	12W	3000K	NA	121 x 27	920	PPAM16123	1175	20
	12W	4000K	NA	121 x 27	960	PPAM16124	1175	20
	12W	6500K	NA	121 x 27	1000	PPAM16127	1175	20
	18W	3000K	NA	156 x 27	1382	PPAM16183	1375	20
	18W	4000K	NA	156 x 27	1440	PPAM16184	1375	20
	18W	6500K	NA	156 x 27	1500	PPAM16187	1375	20
	24W	3000K	NA	191 x 27	1843	PPAM16243	1775	20
	24W	4000K	NA	191 x 27	1920	PPAM16244	1775	20
	24W	6500K	NA	191 x 27	2000	PPAM16247	1775	20
Rimless Surface Down Light - Square								
	12W	3000K	NA	121 x 121 x 27	920	PPAM17123	1175	20
	12W	4000K	NA	121 x 121 x 27	960	PPAM17124	1175	20
	12W	6500K	NA	121 x 121 x 27	1000	PPAM17127	1175	20
	18W	3000K	NA	156 x 156 x 27	1382	PPAM17183	1375	20
	18W	4000K	NA	156 x 156 x 27	1440	PPAM17184	1375	20
	18W	6500K	NA	156 x 156 x 27	1500	PPAM17187	1375	20
	24W	3000K	NA	191 x 191 x 27	1843	PPAM17243	1775	20
	24W	4000K	NA	191 x 191 x 27	1920	PPAM17244	1775	20
	24W	6500K	NA	191 x 191 x 27	2000	PPAM17247	1775	20

Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
Rimless Recessed Down Light - Circular								
	10W	3000K	Ø 70	93 x 37	920	PPAM19103	1000	20
	10W	4000K	Ø 70	93 x 37	960	PPAM19104	1000	20
	10W	6500K	Ø 70	93 x 37	1000	PPAM19107	1000	20
	15W	3000K	Ø 95	120 x 37	1382	PPAM19153	1200	20
	15W	4000K	Ø 95	120 x 37	1440	PPAM19154	1200	20
	15W	6500K	Ø 95	120 x 37	1500	PPAM19157	1200	20
	20W	3000K	Ø 142	170 x 37	1843	PPAM19203	1550	20
	20W	4000K	Ø 142	170 x 37	1920	PPAM19204	1550	20
	20W	6500K	Ø 142	170 x 37	2000	PPAM19207	1550	20
Rimless Recessed Down Light - Square								
	10W	3000K	Ø 70 x 70	93 x 93 x 37	920	PPAM18103	1000	20
	10W	4000K	Ø 70 x 70	93 x 93 x 37	960	PPAM18104	1000	20
	10W	6500K	Ø 70 x 70	93 x 93 x 37	1000	PPAM18107	1000	20
	15W	3000K	Ø 95 x 95	120 x 120 x 37	1382	PPAM18153	1200	20
	15W	4000K	Ø 95 x 95	120 x 120 x 37	1440	PPAM18154	1200	20
	15W	6500K	Ø 95 x 95	120 x 120 x 37	1500	PPAM18157	1200	20
	20W	3000K	Ø 142 x 142	170 x 170 x 37	1843	PPAM18203	1550	20
	20W	4000K	Ø 142 x 142	170 x 170 x 37	1920	PPAM18204	1550	20
	20W	6500K	Ø 142 x 142	170 x 170 x 37	2000	PPAM18207	1550	20



Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
LED Modular Surface Downlight								
	7W	3000K	NA	85 x 48	630	PDLM22073	650	10
	7W	4000K	NA	85 x 48	665	PDLM22074	650	10
	7W	6500K	NA	85 x 48	700	PDLM22077	650	10
	9W	3000K	NA	110 x 48	810	PDLM22093	750	10
	9W	4000K	NA	110 x 48	855	PDLM22094	750	10
	9W	6500K	NA	110 x 48	900	PDLM22097	750	10
	15W	3000K	NA	135 x 48	1350	PDLM22153	950	10
	15W	4000K	NA	135 x 48	1425	PDLM22154	950	10
	15W	6500K	NA	135 x 48	1500	PDLM22157	950	10
ALTABRIGHT : Batten Light								
	5W	3000K	NA	290 x 22 x34	450	PBTM01053	280	20
	5W	6500K	NA	290 x 22 x34	500	PBTM01057	280	20
	10W	3000K	NA	590 x 22 x34	900	PBTM01103	375	20
	10W	6500K	NA	590 x 22 x34	1000	PBTM01107	375	20
	20W	3000K	NA	1150 x 25 x 35	1800	PBTM01203	560	20
	20W	6500K	NA	1150 x 25 x 35	2000	PBTM01207	560	20
ALTABRIGHT : Square Batten Light								
	5W	3000K	NA	280 x 23 x 37	460	PBTM02053	280	20
	5W	6500K	NA	280 x 23 x 37	500	PBTM02057	280	20
	10W	3000K	NA	580 x 23 x 37	920	PBTM02103	375	20
	10W	6500K	NA	580 x 23 x 37	1000	PBTM02107	375	20
	20W	3000K	NA	1140 x 23 x 37	1800	PBTM02203	560	20
	20W	6500K	NA	1140 x 23 x 37	2000	PBTM02207	560	20

Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
ALTABRIGHT : Oval Batten Light								
	24W	3000K	NA	1150 x 25 x 35	2160	PBTM06243	630	20
	24W	4000K	NA	1150 x 25 x 35	2400	PBTM06244	630	20
	24W	6500K	NA	1150 x 25 x 35	2640	PBTM06247	630	20
ALTABRIGHT : Radar Batten Light								
	20W	6500K	NA	1210 x 36 x 25	2000	PBTM07207	1750	10
ALTABRIGHT : Curvy Batten Light								
	22W	3000K	NA	1139 x 32 x 36.5	1980	PBTM13223	550	10
	22W	6500K	NA	1139 x 32 x 36.5	2200	PBTM13227	550	10
	26W	3000K	NA	1179 x 32 x 36.5	2340	PBTM14263	750	10
	26W	6500K	NA	1179 x 32 x 36.5	2600	PBTM14267	750	10
ALTABRIGHT : HW Aluminium Batten Light								
	36W	6500K	NA	1175 x 30 x 36	3600	PBTM08367	1225	10
ALTABRIGHT : Night Glow Batten Light								
	22W+2W	6500K	NA	1191 x 32.1 x 36.6	2200	PBTM14227	875	20
ALTABRIGHT : Tri Colour Batten Light								
	24W	3000K 4000K 6500K	NA	1179 x 32 x 36.5	2400	PBTM15240	950	10

Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
LED Street Light								
	15W	6500K	NA	270 x 80 x 66	1500	PSTM01157	2120	10
	25W	6000K	NA	330 x 80 x 70	2500	PSTM01257	3045	10
	45W	6000K	NA	330 x 80 x 70	4500	PSTM01457	4710	10
LED Street Light HW								
	60W	6500K	NA	410 x 121 x 80	6000	PSTM01607	6800	4
	75W	6500K	NA	410 x 121 x 80	7500	PSTM01757	8500	4
LED Street Light New								
	25W	5700K	NA	284 x 115 x 55	2500	PSTM09258	3,045	10
	45W	5700K	NA	353 x 137 x 55	4500	PSTM09458	4,710	10
LED Street Light HW New								
	60W	5700K	NA	478 x 178 x 64	6000	PSTM09608	6,800	4
	75W	5700K	NA	478 x 178 x 64	7500	PSTM09758	8,500	4





Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
LED Flood Light								
	10W	3000K	NA	134 x 28 x 159	810	PFLM05103	1500	10
	10W	6000K	NA	134 x 28 x 159	900	PFLM05106	1500	10
	20W	3000K	NA	167 x 36 x 220	1620	PFLM05203	2500	10
	20W	6000K	NA	167 x 36 x 220	1800	PFLM05206	2500	10
	30W	3000K	NA	167 x 36 x 220	2430	PFLM05303	3000	10
	30W	6000K	NA	167 x 36 x 220	2700	PFLM05306	3000	10
	50W	3000K	NA	222 x 38 x 301	4050	PFLM05503	4000	10
	50W	6000K	NA	222 x 38 x 301	4500	PFLM05506	4000	10
LED Flood Light New								
	10W	5700K	NA	150 x 125 x 30	900	PFLM07108	1,200	20
	20W	5700K	NA	172 x 140 x 31	1800	PFLM07208	2,000	10
	30W	5700K	NA	172 x 140 x 31	2700	PFLM07308	3,000	10
	50W	5700K	NA	222 x 185 x 37	4500	PFLM07508	4,000	5
	70W	5700K	NA	285 x 215 x 48	6300	PFLM07708	7,500	5
LED Base Light								
	36W	3000K	Ø 565X565	565 x 565 x 30	2916	PBLM13363	3,300	1
	36W	4000K	Ø 565X565	565 x 565 x 30	3078	PBLM13364	3,300	1
	36W	6500K	Ø 565X565	565 x 565 x 30	3240	PBLM13367	3,300	1








Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
LED Strip Light IP20								
	25W	3000K	NA	5000 x 8 x 0.2	72 lm/W	PSLM06253	850	10
	25W	4000K	NA	5000 x 8 x 0.2	76 lm/W	PSLM06254	850	10
	25W	6500K	NA	5000 x 8 x 0.2	80 lm/W	PSLM06257	850	10
	25W	Red	NA	5000 x 8 x 0.2	NA	PSLM0625R	950	10
	25W	Green	NA	5000 x 8 x 0.2	NA	PSLM0625G	950	10
	25W	Blue	NA	5000 x 8 x 0.2	NA	PSLM0625B	950	10
LED Strip Light IP65								
	25W	3000K	NA	5000 x 10 x 4	72 lm/W	PSLM07253	1250	10
	25W	4000K	NA	5000 x 10 x 4	76 lm/W	PSLM07254	1250	10
	25W	6500K	NA	5000 x 10 x 4	80 lm/W	PSLM07257	1250	10
	25W	Red	NA	5000 x 10 x 4	NA	PSLM0725R	1350	10
	25W	Green	NA	5000 x 10 x 4	NA	PSLM0725G	1350	10
	25W	Blue	NA	5000 x 10 x 4	NA	PSLM0725B	1350	10

Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
PC Frame - Circular								
	5W	NA	NA	120 x 35	NA	PFMM01050	100	10
	10W	NA	NA	170 x 35	NA	PFMM01100	125	10
	20W	NA	NA	220 x 35	NA	PFMM01200	200	10
PC Frame - Square								
	5W	NA	NA	120 x 120 x 35	NA	PFMM02050	100	10
	10W	NA	NA	170 x 170 x 35	NA	PFMM02100	125	10
	20W	NA	NA	220 x 220 x 35	NA	PFMM02200	200	10

The background is a deep blue gradient. On the left side, there are several large, semi-transparent light blue circles of varying sizes, creating a bokeh effect. A bright white starburst with multiple rays is positioned on the left side, partially overlapping the bokeh circles. Another smaller starburst is located on the right side of the text box. The text 'UPCOMING PRODUCTS' is centered within a white-outlined rounded rectangle.

UPCOMING PRODUCTS

Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
LED Ceiling Light								
	22W	3000K	NA	300 x 78	1683	PCLM02223	1250	6
		6500K	NA	300 x 78	1870	PCLM02227	1250	6
LED Desk Lamp								
	5W	4000K	NA	90 x 108 x 400	150 (Dimmable)	PDEM01054	2400	30
LED Desk Lamp								
	5W	4000K	NA	72 x 57 x 265	150 (Dimmable)	PDEM02054	3000	20
Mini Surface Down Light (Cabinet Light)								
	3W	3000K	NA	68 x 13.5	150	PDLM28033	199	50
		6500K	NA	68 x 13.5	165	PDLM28037	199	50
		Red	NA	68 x 13.5	NA	PDLM2803R	199	50
		Green	NA	68 x 13.5	NA	PDLM2803G	199	50
		Blue	NA	68 x 13.5	NA	PDLM2803B	199	50

Product Image	Wattage	CCT	Cut Out Dimension mm	Product Dimension mm	Lumen output	Product Code	MRP (₹)	STD PKG
Swivel Down Light								
	3W	3000K	Ø 70	95 x 42	195	PDLM29033	475	30
	3W	6500K	Ø 70	95 x 42	210	PDLM29037	475	30
	6W	3000K	Ø 90	116 x 51	390	PDLM29063	675	30
	6W	6500K	Ø 90	116 x 51	420	PDLM29067	675	30
Candle Light Lamp E27								
	4W	3000K	NA	38 x 107	360	PBUM38043	125	20
	4W	6500K	NA	38 x 107	400	PBUM38047	125	20
Candle Light Lamp B22								
	4W	3000K	NA	38 x 107	360	PBUM39043	125	20
	4W	6500K	NA	38 x 107	400	PBUM39047	125	20
Smart Wifi Bulb								
	9W	NA	NA	Ø 65 x 116	NA	PBUM27090	1650	20
20W Batten RGB								
	20W	Red	NA	1140 x 23 x 37	NA	PBTM0220R	575	20
	20W	Green	NA	1140 x 23 x 37	NA	PBTM0220G	575	20
	20W	Blue	NA	1140 x 23 x 37	NA	PBTM0220B	575	20

Panasonic Life Solutions India Pvt. Ltd.

Registered Office : 12th Floor, Ambience Tower,
Ambience Island, NH-48, Gurugram, Haryana - 122 002.

For queries and communication : 3rd Floor, B wing, I-Think Techno Campus, Pokhran Road No 2,
Thane (west) - 400607, Maharashtra

T: (9122) 42228888 | F: (9122) 42228888 | Customer care no.: (022) 41304130 | WhatsApp No: 91360 28606

Email: info@in.panasonic.com | www.lsin.panasonic.com

Panasonic

All Rights Reserved © 2015 COPYRIGHT Anchor Electricals Pvt. Ltd.

Specifications are subjected to change without notice

Printed in India

The duplication and transfer of image from this catalogue without permission are strictly prohibited.